

CERES Subsystem Directories that are Promoted to Production

Instrument (All PGEs)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

For regular deliveries:

instrument/lib
instrument/ancillary/PGENAME
instrument/ancillary/PCF_Parameter_Map.txt
instrument/rcf/*.csh, *.pl *.pm
instrument/PGENAME/rcf/*.csh, *.pl *.pm
instrument/PGENAME/bin
instrument/CER1.1P7/lib
instrument/CER1.2P1/lib
instrument/CER1.3P1/lib
instrument/CER1.3P3/lib
instrument/CER1.4P1/lib

Directories that need to exist in production but don't need to be "promoted"

instrument/runlogs
instrument/web
instrument/data/BDS
instrument/data/BDSI
instrument/data/BDSD
instrument/data/BDSG
instrument/data/BDSF
instrument/data/BDSS
instrument/data/BDSP
instrument/data/BDSM
instrument/data/IES
instrument/data/GAIN
instrument/data/Level0
instrument/data/MEM
instrument/data/NPPATT
instrument/data/NPPEPH
instrument/data/NPPRDR
instrument/data/PRES8
instrument/data/QCSW
instrument/data/QCTL
instrument/data/QCWN
instrument/data/AM1ATTNF
instrument/data/AM1EPHN0
instrument/data/PM1ATTNR
instrument/data/PM1EPHND
instrument/PGENAME/rcf/pcf

CERES Subsystem Directories that are Promoted to Production

instrument/PGENAME/rcf/pcf/summary
instrument/sge_logs/PGENAME

For gains files deliveries:

instrument/ancillary/CER1.3P3/FM1_Count_Conversion_Data.* & FM1_Offsets* (if delivered)
instrument/ancillary/CER1.3P3/FM2_Count_Conversion_Data.* & FM1_Offsets* (if delivered)
instrument/ancillary/CER1.3P3/FM3_Count_Conversion_Data.* & FM1_Offsets* (if delivered)
instrument/ancillary/CER1.3P3/FM4_Count_Conversion_Data.* & FM1_Offsets* (if delivered)
instrument/ancillary/CER1.4P3/FM1_Count_Conversion_Data.* & FM1_Offsets* (if delivered)
instrument/ancillary/CER1.4P3/FM2_Count_Conversion_Data.* & FM1_Offsets* (if delivered)
instrument/ancillary/CER1.4P3/FM3_Count_Conversion_Data.* & FM1_Offsets* (if delivered)
instrument/ancillary/CER1.4P3/FM4_Count_Conversion_Data.* & FM1_Offsets* (if delivered)

ERBE-like (All PGEs)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

For regular deliveries:

erbelike/CER2.2P1/Web/anc
erbelike/CER2.2P1/Web/anc/font
erbelike/CER2.2P1/Web/anc/color/ppm
erbelike/CER3.1P1/Web/s4g/anc/font
erbelike/CER3.1P1/Web/s4g/anc/Outlines
erbelike/CER3.1P1/Web/s4g/anc/Screencol
erbelike/CER3.2P1/Web/s4g/anc/font
erbelike/CER3.2P1/Web/s4g/anc/Outlines
erbelike/CER3.2P1/Web/s4g/anc/Screencol
erbelike/ancillary/CER2.1P1/ERBEalbedos
erbelike/ancillary/CER2.1P1/ERBEgeoscene
erbelike/ancillary/CER2.1P1/LWThresholds
erbelike/ancillary/CER2.1P1/NSIDCgrid
erbelike/ancillary/CER2.1P1/SNOWcomposite
erbelike/ancillary/CER2.1P1/SNOWnorthern
erbelike/ancillary/CER2.2P1/Inversion
erbelike/ancillary/CER2.2P1/Inversion/ERBEscnID
erbelike/ancillary/CER2.2P1/Inversion/ADMparameters
erbelike/ancillary/CER2.2P1/Inversion/Tolerances
erbelike/ancillary/CER2.2P1/QCchecker
erbelike/ancillary/CER2.2P1/Xtrk_db
erbelike/ancillary/CER2.4P1/modtran
erbelike/ancillary/CER3.1P1
erbelike/bin
erbelike/CER2.1P1/bin

CERES Subsystem Directories that are Promoted to Production

erbelike/CER2.1P1/rcf
erbelike/CER2.1P1/src
erbelike/CER2.1P1/src/Web
erbelike/CER2.2P1/bin
erbelike/CER2.2P1/rcf
erbelike/CER2.2P1/src/gen_es8hdf
erbelike/CER2.2P1/Web/csh
erbelike/CER2.2P1/Web/src
erbelike/CER2.3P1/rcf
erbelike/CER2.3P2/rcf
erbelike/CER2.4P1/bin
erbelike/CER2.4P1/lib
erbelike/CER2.4P1/rcf
erbelike/CER2.4P1/src
erbelike/CER3.1P1/bin
erbelike/CER3.1P1/rcf
erbelike/CER3.1P1/rcf/mcf
erbelike/CER3.1P1/src/ddbsrt
erbelike/CER3.1P1/src/ddbuer
erbelike/CER3.1P1/src/mtsa1
erbelike/CER3.1P1/Web/s4g/csh
erbelike/CER3.1P1/Web/s4g
erbelike/CER3.1P1/Web/s4g/src
erbelike/CER3.1P1/Web/s4g/src/genppm
erbelike/CER3.1P1/Web/s4g/src/gets4g
erbelike/CER3.2P1/bin
erbelike/CER3.2P1/rcf
erbelike/CER3.2P1/src/mtsa0
erbelike/CER3.2P1/src/mtsa3
erbelike/CER3.2P1/Web/es4_stats/bin
erbelike/CER3.2P1/Web/es4_stats/src
erbelike/CER3.2P1/Web/s4g
erbelike/CER3.2P1/Web/s4g/csh
erbelike/CER3.2P1/Web/s4g/src
erbelike/CER3.2P1/Web/s4g/src/genppm
erbelike/CER3.2P1/Web/s4g/src/gets4g
erbelike/lib/ddbint
erbelike/lib/ddbuer
erbelike/lib/ddbupd
erbelike/lib/erbelike_lib
erbelike/lib/es4
erbelike/lib/gen_es4hdf
erbelike/lib/gen_es9hdf
erbelike/lib/inv

CERES Subsystem Directories that are Promoted to Production

erbelike/lib/pre_es4
erbelike/lib/sol_dec
erbelike/lib/tsalib
erbelike/mcf
erbelike/rcf
erbelike/smf

Directories that need to exist in production but don't need to be "promoted"

erbelike/data/CERES/SCCD
erbelike/data/CERES/SCCN
erbelike/data/CERES/SNOW/CERES_NSIDC
erbelike/data/CERES/CQCR
erbelike/data/CERES/CXDR
erbelike/data/CERES/EID6
erbelike/CER2.1P1/data/scr
erbelike/CER2.1P1/rcf/pcf/summary
erbelike/CER2.4P1/data/input
erbelike/CER2.4P1/data/scr
erbelike/CER2.4P1/rcf/pcf/summary
erbelike/CER2.4P1/Web/scc_trend/data
erbelike/CER2.2P1/data/scr
erbelike/CER2.2P1/rcf/pcf/summary
erbelike/CER2.3P1/data/scr
erbelike/CER2.3P1/rcf/pcf/summary
erbelike/CER2.3P2/data/scr
erbelike/CER2.3P2/rcf/pcf/summary
erbelike/CER3.1P1/data/scr
erbelike/CER3.1P1/rcf/pcf/summary
erbelike/CER3.2P1/data/scr
erbelike/CER3.2P1/rcf/pcf/summary
erbelike/web/CER2.1P1/CERESfmt
erbelike/web/CER2.1P1/CERESweb
erbelike/web/CER2.2P1/gif
erbelike/web/CER3.1P1/qc
erbelike/web/CER3.1P1/s4g/dat
erbelike/web/CER3.1P1/s4g/gif
erbelike/web/CER3.2P1/qc
erbelike/web/CER3.2P1/s4g/dat/
erbelike/web/CER3.2P1/s4g/gif/
erbelike/web/CER3.2P1/es4_stats/data/
erbelike/runlogs/CER2.1P1
erbelike/runlogs/CER2.4P1
erbelike/runlogs/CER2.2P1
erbelike/runlogs/CER2.3P1

CERES Subsystem Directories that are Promoted to Production

erbelike/runlogs/CER2.3P2
erbelike/runlogs/CER3.1P1
erbelike/runlogs/CER3.2P1
erbelike/sge_logs/CER2.1P1
erbelike/sge_logs/CER2.4P1
erbelike/sge_logs/CER2.2P1
erbelike/sge_logs/CER2.3P1
erbelike/sge_logs/CER2.3P2
erbelike/sge_logs/CER3.1P1
erbelike/sge_logs/CER3.2P1

Clouds (PGEs 4.1-4.0P2, 4.1-4.0P3, 4.1-4.1P6, 4.1-4.2P4, 4.1-4.2P5, 4.1-4.3P3)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

clouds/ancillary/PGENAME

clouds/PGENAME/bin
clouds/PGENAME/rcf/*.pl, *.env, *.pm
clouds/PGENAME/rcf/AncBin
clouds/smf

Directories that need to exist in production but don't need to be "promoted"

clouds/data/Cookie
clouds/data/CRH_Update
clouds/data/ECS-OA0063SFm
clouds/data/ECS-OA0063SFSCm
clouds/data/ECS-OA0124SCm
clouds/data/ECS-OA0124SFm
clouds/data/ECS-OA0160SFm
clouds/data/ECS-OA0213SFm
clouds/data/ECV
clouds/data/ECVS
clouds/data/EQCDB
clouds/data/EQCDG
clouds/data/EQCDS
clouds/data/EQCHB
clouds/data/EQCHG
clouds/data/EQCMB
clouds/data/EQCMG
clouds/data/FQC
clouds/data/scr
clouds/data/SSF_Int

CERES Subsystem Directories that are Promoted to Production

clouds/data/CER_ESAI
clouds/runlogs
clouds/runlogs/CER4.1-1P6_2P5/
clouds/sge_logs/PGENAME
clouds/PGENAME/rcf/pcf

Inversion (All PGEs)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

inversion/PGENAME/rcf
inversion/PGENAME/bin
inversion/ancillary
inversion/rcf/

Directories that need to exist in production but don't need to be "promoted"

inversion/runlogs
inversion/ancillary/SCOOOL
inversion/data/GQCA
inversion/data/GQCA-val
inversion/data/GQCI
inversion/data/SSF
inversion/data/SSFA
inversion/data/SSFAS-DAY
inversion/data/SSFA-val
inversion/data/SSFA-valmm
inversion/data/SSFB
inversion/data/SSFB-nadir
inversion/data/SSFB-val
inversion/data/SSFB-valmm
inversion/data/SSF-nadir
inversion/data/SSFS-DAY
inversion/data/SSFS-NIT
inversion/data/SSFS-scool-DAY
inversion/data/SSFS-scool-NIT
inversion/data/scr
inversion/PGENAME/rcf/pcf
inversion/PGENAME/rcf/pcf/summary
inversion/sge_logs/PGENAME
clouds/data/SSF_Int/
clouds/data/FQC/

CERES Subsystem Directories that are Promoted to Production

Instantaneous SARB (PGE 5.0P2)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

sarb/ancillary/PGENAME
sarb/PGENAME/rcf
sarb/smf/sarb
sarb/PGENAME/bin
sarb/rcf
sarb/rcf/mcf

Directories that need to exist in production but don't need to be "promoted"

sarb/PGENAME/rcf/pcf
sarb/data
sarb/data/scr
sarb/runlogs/PGENAME
sarb/sge_logs/PGENAME

TISA Gridding (PGEs 9.0P1, 9.0P2, 9.0P3, 9.1P1, 9.2P2, 9.3P2, and 9.4P2)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

tisa_grid/PGENAME/bin
tisa_grid/PGENAME/rcf
tisa_grid/ancillary/CER9.0P2/static
tisa_grid/ancillary/CER9.0P3/static
tisa_grid/ancillary/CER9.2P2/static
tisa_grid/rcf/mcf
tisa_grid/smf

Directories that need to exist in production but don't need to be "promoted"

tisa_grid/PGENAME/rcf/pcf
tisa_grid/data
tisa_grid/runlogs
tisa_grid/scr
tisa_grid/sge_logs
tisa_grid/PGENAME/lib
tisa_grid/PGENAME/mod
tisa_grid/data/PMOA
tisa_grid/data/SFC-HR

tisa_grid/data/MOVL
tisa_grid/data/MQCRP

CERES Subsystem Directories that are Promoted to Production

tisa_grid/data/MRGRP
tisa_grid/data/ISCCP-D2like-Day
tisa_grid/data/ISCCP-D2like-Nit

TISA Averaging (PGE 7.3.1P1)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

tisa_avg/PGENAME/bin
tisa_avg/PGENAME/rcf
tisa_avg/ancillary
tisa_avg/rcf

Directories that need to exist in production but don't need to be "promoted"

tisa_avg/data/scr
tisa_avg/runlogs/PGENAME
tisa_avg/data/int_prod
tisa_avg/data/data_7/
tisa_avg/data/data_7/out_comp

TISA Averaging (PGE 8.1P1)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

tisa_avg/PGENAME/bin
tisa_avg/PGENAME/rcf
tisa_avg/ancillary
tisa_avg/rcf
tisa_avg/web/plot/csh
tisa_avg/web/plot/dat/SYN
tisa_avg/web/plot/src/syn
tisa_avg/web/plot/anc/color/ppm/
tisa_avg/web/plot/anc/color/ppm/src
tisa_avg/web/plot/anc/color/ppm/syn
tisa_avg/web/plot/anc/color/ps
tisa_avg/web/plot/anc/font
tisa_avg/web/plot/anc/map

Directories that need to exist in production but don't need to be "promoted"

tisa_avg/data/scr

tisa_avg/runlogs/PGENAME
tisa_avg/web/plot/gif

CERES Subsystem Directories that are Promoted to Production

TISA Averaging (PGE 10.0P3)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

tisa_avg/PGENAME/bin
tisa_avg/PGENAME/rcf
tisa_avg/ancillary
tisa_avg/rcf

Directories that need to exist in production but don't need to be "promoted"

tisa_avg/data/scr
tisa_avg/runlogs/PGENAME
tisa_avg/data/int_prod

TISA Averaging (PGE 10.0P4)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

tisa_avg/PGENAME/bin
tisa_avg/PGENAME/rcf
tisa_avg/ancillary
tisa_avg/rcf

Directories that need to exist in production but don't need to be "promoted"

tisa_avg/data/scr
tisa_avg/runlogs/PGENAME
tisa_avg/data/int_prod

Synoptic SARB (All PGEs)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

sarb/ancillary/PGENAME
sarb/PGENAME/rcf
sarb/PGENAME/rcf/mcf
sarb/smf/sarb
sarb/PGENAME/bin
sarb/rcf
sarb/ancillary

Directories that need to exist in production but don't need to be "promoted"

sarb/PGENAME/rcf/pcf

CERES Subsystem Directories that are Promoted to Production

sarb/data
sarb/runlogs/PGENAME
sarb/sge_logs/PGENAME

GGE0 (PGE 11.7P1)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

ggeo/PGENAME/bin
ggeo/PGENAME/rcf
ggeo/ancillary/CER11.7P1/static

ggeo/rcf/mcf
ggeo/smf

Directories that need to exist in production but don't need to be "promoted"

ggeo/PGENAME/rcf/pcf
ggeo/data
ggeo/runlogs
ggeo/scr
ggeo/sge_logs
ggeo/PGENAME/lib
ggeo/PGENAME/mod
tisa_grid/data/ISCCP-D2like-GEO

Regrid MOA (All PGEs)

Note: If a directory listed below includes PGENAME in the path then that directory will need to be promoted for a given PGE if it exists.

sarb/ancillary/PGENAME
sarb/PGENAME/rcf
sarb/PGENAME/rcf/mcf
sarb/smf/regridmoa
sarb/PGENAME/bin

Directories that need to exist in production but don't need to be "promoted"

sarb/PGENAME/rcf/pcf
sarb/data
sarb/runlogs

CERES Subsystem Directories that are Promoted to Production

Perl Lib

lib/Perl_Lib/Apache
lib/Perl_Lib/CERES
lib/Perl_Lib/Class
lib/Perl_Lib/Cluster
lib/Perl_Lib/File
lib/Perl_Lib/Log
lib/Perl_Lib/Net
lib/Perl_Lib/Perl
lib/Perl_Lib/RPC
lib/Perl_Lib/System
lib/Perl_Lib/Toolkit
lib/Perl_Lib/XML
lib/Perl_Lib/lib
lib/Perl_Lib/man
lib/Perl_Lib/local_version.pl
lib/Perl_Lib/make_method.pl
lib/Perl_Lib/pcf_env_p6.pl
lib/Perl_Lib/pcf_env_x86.pl
lib/Perl_Lib/Log/Summary.pm
lib/Perl_Lib/Pcf.pm
lib/Perl_Lib/PathUtils.pm
lib/Perl_Lib/SGE_Utls.pm
lib/Perl_Lib/Dates.pm
lib/Perl_Lib/PCF_Env.pm
lib/Perl_Lib/Archive_Utls.pm
lib/Perl_Lib/bin
lib/Perl_Lib/Convert
lib/Perl_Lib/Data
lib/Perl_Lib/Schedule

CERESlib

lib/p6-xlf/data
lib/p6-xlf/bin
lib/x86-gnu/data
lib/x86-gnu/bin
lib/common

CATALYST

catalyst/catalyst_1.0.0-937.sh